

**AERODROME CHART - ICAO**


ARP 512348N 0032036W

AD ELEV 220FT

**CARDIFF EGFF**

<b>GUND</b> (Geoid Undulation) = The height of the Geoid (MSL) above the Reference Ellipsoid (WGS 84) at the stated position.	
BEARINGS ARE MAGNETIC ELEVATIONS AND HEIGHTS ARE IN FEET	<b>325</b> (105)
ELEVATIONS IN FEET AMSL HEIGHTS IN FEET ABOVE AD	

AERO INFO DATE 20 NOV 09



RUNWAY/TAXIWAY/APRON PHYSICAL CHARACTERISTICS		
APRON / RWY / TWY	SURFACE	BEARING STRENGTH
RWY 12/30	Grooved Asphalt	50/F/A/W/T
Main Terminal Apron	Concrete	50/R/A/W/T
Southside Maintenance	Asphalt	15/F/A/W/T
Twy A	Asphalt	50/F/A/W/T
Twy B	Asphalt	50/F/A/W/T
Twy E	Asphalt	42/F/A/W/T
Twy G	Asphalt	15/F/A/Y/T

COM		CARDIFF INFO
ATIS	132.475	CARDIFF TOWER
TWR	133.100	CARDIFF FIRE
<b>LIGHTING</b>		
APCH 12	747m HI Coded C/L with 5 bars.	
APCH 30	832m HI Coded C/L with 5 bars.	
THR 12/30	Flush HI uni-d green with green W bars.	
RWY 12/30	Elev HI bi-d with LI omni-d component. Colour coded C/L. End lights red.	
TWY	Green C/L for RWY 12/30 with blue edge at junctions. Red stop bars	

CHANGE: COM: MAG VAR.