

AIRCRAFT PARKING/DOCKING CHART - ICAO


ARP 524033N 0011658E

AD ELEV 117FT

NORWICH EGSB

AERO INFO DATE 7 DEC 09

AD 2-EGSB-2-2 (11 Mar 10)



GUND (Geoid Undulation) =
The height of the Geoid (MSL) above the Reference Ellipsoid (WGS 84) at the stated position.

BEARINGS ARE MAGNETIC
ELEVATIONS AND HEIGHTS ARE IN FEET

ELEVATIONS IN FEET AMSL	232
HEIGHTS IN FEET ABOVE AD	(115)

COM		
ATIS	128.625	NORWICH INFO
TWR	124.250	NORWICH TOWER
	121.600	NORWICH FIRE

LIGHTING	
APCH 09	427m HI C/L 1 bar.
APCH 27	953m HI coded C/L 5 bars.
THR 09/27	HI green.
RWY 09/27	HI coded C/L. HI bi-d with LI omni-d component. End lights red.
TWY	Blue edge. Green C/L on Twy Charlie/RWY 27 turning circle/lead on/off.

STAND	COORDINATES
1	524012.75N 0011638.33E
2	524011.84N 0011440.38E
3	524011.17N 0011642.00E
4	524010.57N 0011644.23E
5	524010.24N 0011646.55E
6	524010.27N 0011649.02E
7	524015.77N 0011642.80E
8	524017.04N 0011644.29E
9	To be surveyed

RUNWAY/TAXIWAY/APRON PHYSICAL CHARACTERISTICS		
APRON / RWY / TWY	SURFACE	BEARING STRENGTH
RWY 09/27	Asphalt/Concrete	56/R/D/W/U
Western Apron	Concrete	5/R/C/Y/U
Twy A	Asphalt/Concrete	16/R/D/W/T
Twy B/E	Asphalt	14/R/D/Y/T
Twy C	Asphalt	17/F/C/Y/T
Twy D	Asphalt	6/R/D/Y/T
Twy E	Asphalt	15/R/D/Y/T
Twy N	Asphalt/Concrete	-

CHANGE: MAG VAR. STAND 10 WITHDRAWN. EASTERN APRON EXTENDED. HOLDS S1 & S2/HANGARS ADDED.